

EXTRACTION PITS FOR SWANSEA DAM UPGRADE

**Tasman Highway Swansesa (CT158015/1 & 170094/2)
Adjacent to & north of 91 Maria Street, Swansea
DA17291**

The above application has been referred to the Board of the Environment Protection Authority (the Board) for assessment under the Environmental Management and Pollution Control Act 1994 (EMPC Act). An Environmental Effects Report (EER) has been lodged in support of the application.

A copy of the EER for the above application will be available for public inspection until 13th March 2018 and may be examined during normal business hours at:

- Glamorgan Spring Bay Council Offices: 9 Melbourne Street, Triabunna
- Service Tasmania Hobart: 134 Macquarie Street Hobart
- Swansea Visitor Information Centre

The DPMP/EER can also be viewed on the internet at:

<http://epa.tas.gov.au/assessment/assessments-in-progress>

A guide for preparing a public submission can be found on the internet at:

<http://epa.tas.gov.au/assessment/guide-for-preparing-a-public-submission>

Copies of the EER may be requested from Mr Dan Elson, GHD Consulting, Ph 6210 0734,
E: Daniel.elson@ghd.com

Any person may make representation in relation to the proposal/s by letter (Po Box 6 Triabunna) or electronic mail (planning@freycinet.tas.gov.au) addressed to the General Manager. Representations must be received on or before 13 March 2018

**David Metcalf
General Manager**