IMMUNISATION PROGRAM - TASMANIA

Adult and Child Immunisation Schedule

AGE	VACCINE (ANTIGEN)
Birth (within 7 days of birth)	HB Vax II (Hep B) Paediatric
2 months (may be given from 6 weeks, but not earlier)	Infanrix Hexa (DTPa/Hib/Hep B/IPV)
	Prevenar 13 (13vPCV)
	Rotarix (Rotavirus - oral vaccine) refer to Handbook for age limits
4 months (if child received previous doses at 6 weeks, current recommendation is to vaccinate at 4 months, but not earlier)	Infanrix Hexa (DTPa/Hib/Hep B/IPV)
	Prevenar 13 (13vPCV)
	Rotarix (Rotavirus - oral vaccine) refer to Handbook for age limits
6 months	Infanrix Hexa (DTPa/Hib/Hep B/IPV)
	Prevenar 13 (13vPCV)
6 months - <3 years (ALL children) NEW	FluQuadri Junior (Influenza) (a)
12 months	Priorix or M-M-R II (MMR)
	Menitorix (Hib/Men C)
* only if predisposing medical conditions and/or babies <28 weeks gestation	Prevenar 13 (13vPCV)
* only babies <32 weeks gestation or <2000g birth weight	HB Vax II (Hep B) Paediatric
18 months	Priorix-Tetra or ProQuad (MMRV) (b)
	Tripacel or Infanrix (DTPa)
3 years < 5yrs (ALL children)	FluQuadri (Influenza) (a)
4 years	Infanrix IPV or Quadracel (DTPa/IPV)
* only if predisposing medical conditions	Pneumovax 23 (23vPPV)
5 years - 64 years * predisposing medical conditions	Fluarix Tetra or FluQuadri (a) or Afluria Quad (over 18 yrs only) (Influenza)
5 - 64 years * predisposing medical conditions	Pneumovax 23 (23vPPV) - recommended but not funded
50 years and older	Boostrix or Adacel (dTpa) - recommended but not funded
65 years and older NEW	Pneumovax 23 (23vPPV) (c)
	Boostrix or Adacel (d) - recommended but not funded
	Fluzone High-Dose or Fluad (Influenza)
70 years	Zostavax (Shingles)
71 - 79 years	Zostavax (Shingles) - catch-up program ceases 31 October 2021
Third trimester of pregnancy (preferably 28-32 weeks)	Adacel (dTpa)
Groups at high risk for Hepatitis B	Engerix-B (Hep B) (e)
School Immunisation Program (may be administered at GP practices if not received via a school program)	
SCHOOL YEAR	VACCINE (ANTIGEN)
No	Boostrix (dTpa)
Year 7	C_{and}

Year 7

NATIONAL IMMUNISATION PROGRAM CATCH UP VACCINATIONS ARE FREE FOR ALL AUSTRALIANS UNDER 20 YEARS OF AGE

- (a) Children under 9 years receiving influenza vaccine for the first time require a second dose 1 month after the first dose.
- (b) Should not be given as the first dose of MMR vaccine to children <4 years of age.
- (c) After 5 years a second dose of Pnuemovax 23 is only required if predisposing medical conditions exist.
- (d) ≥ 65 yrs if not received in the previous 10 years.
- (e) See DHHS Public Health Services website for eligibility criteria.

(f) 3 doses required >15yrs and certain medical conditions. * predisposing medical conditions - refer to the online edition of the Australian Immunisation Handbook 10th Edition

Gardasil9(9-valent HPV) 2 doses at 0 and 6 months (f)

Check the Department of Health and Human Services website **www.dhhs.tas.gov.au** for the latest version of this resource. **For further information** contact DHHS Public Health Services -Communicable Diseases Prevention Unit 1800 671 738.

For further details refer to the online edition of the Australian Immunisation Handbook www.immunise.health.gov.au

This resource has been developed by the DHHS Public Health Services – Communicable Diseases Prevention Unit. DHHS works with Primary Health Tasmania to provide information and support to immunisation providers.





