

SPECIAL COUNCIL MEETING AGENDA

TUESDAY 30 NOVEMBER 2021

2:00PM

Council Chambers, Triabunna

1

NOTICE OF SPECIAL MEETING

Notice is hereby given that the Mayor has called a Special Meeting of the Glamorgan Spring Bay Council to be held at the Triabunna Council Offices on Tuesday the 30 of November at 2.00pm.

QUALIFIED PERSON CERTIFICATION

I hereby certify that, in accordance with section 65 of the *Local Government Act 1993*, any advice, information and recommendations contained in the reports related to this agenda have been prepared by persons who have the qualifications or experience necessary to give such advice, information and recommendations.

Dated this Friday 26 November 2021

Greg Ingham

GENERAL MANAGER

IMPORTANT INFORMATION

- As determined by Glamorgan Spring Bay Council in April 2017 all Ordinary and Special Meetings of Council are to be audio/visually recorded and streamed live.
- A recording of the meeting will be available via the link on the Glamorgan Spring Bay Council website following the meeting.

In accordance with the *Local Government Act 1993* and Regulation 33, these video/audio files will be retained by Council for at least 6 months and made available for viewing live, as well as online within 5 days of the scheduled meeting. The written minutes of a meeting, once confirmed, prevail over the video/audio recording of the meeting.

TABLE OF CONTENTS

1.	OPENING OF MEETING	4
1.2 1.3	Acknowledgement of Country Present and Apologies In Attendance Declaration of Interest or Conflict	4
2.	PLANNING AUTHORITY SECTION	5
	Development Application 2021/282 - 1130 Dolphin Sands Road, Dolphin Sands - CT54666/175	6
3.	CLOSE	29

1. OPENING OF MEETING

The Mayor to welcome Councillors and staff declare the meeting open at [time].

1.1 Acknowledgement of Country

The Glamorgan Spring Bay Council acknowledges the Traditional Owners of our region and recognises their continuing connection to land, waters and culture. We pay our respects to their Elders past, present and emerging.

1.2 Present and Apologies

1.3 In Attendance

1.4 Declaration of Interest or Conflict

The Mayor requests Elected Members to indicate whether they have:

- 1. any interest (personally or via a close associate) as defined in s.49 of the Local Government Act 1993; or
- 2. any conflict as described in Council's Code of Conduct for Councillors,

in any item included in the Agenda.

2. PLANNING AUTHORITY SECTION

Under Regulation 25 of Local Government (Meeting Procedures) Regulations 2015 the Chairperson hereby declares that the Council is now acting as a Planning Authority under the provisions of the Land Use Planning and Approvals Act 1993 for Section 2 of the Agenda.

RECOMMENDATION

That Council now acts as a Planning Authority at (Time:).

2.1 Development Application 2021/282 - 1130 Dolphin Sands Road, Dolphin Sands - CT54666/175

Proposal Demolition of existing building and construction of new

dwelling to be used as visitor accommodation

Applicant Honed Architecture and Design

Application Date 05 October 2021

Statutory Date 05 December 2021

Planning Instruments Glamorgan Spring Bay Interim Planning Scheme 2015

Zone PPZ3 - Dolphin Sands

Codes 6.0 Parking and Access, 7.0 Stormwater Management, 10.0

Biodiversity, 15.0 Inundation Prone Areas, 16.0 Coastal

Erosion Hazards

Specific Area Plans N/A

Use Visitor Accommodation

Development Discretionary

Discretions 7

Representations 5

Attachments A – Application Documents

B - Representations

Author James Bonner, Senior Town Planner

Executive Summary

Planning approval is sought for the demolition of the existing building and construction of a single dwelling proposed to be used for visitor accommodation on land at 1130 Dolphin Sands Rd, Dolphin Sands.

The proposal was advertised for two weeks from 08 October to 22 October 2021. Five representations were received during the notification period.

This item was considered by Council at the November Ordinary Meeting. Unfortunately, the decision that was made is invalid due to discrepancies with how the motion was passed under the *Local Government (Meeting Procedures) Regulations 2015*, and as such this item will need a new resolution.

This report assesses the proposal against the applicable standards for the relevant zones and codes listed above, and considers the issues raised in the representations. The Planning Authority must consider the planner's recommendation and the matters raised in the representations and make a final determination by 05 December 2021.

The recommendation is to approve the application as detailed at the end of this report.

PART ONE

1. Statutory Requirements

The Land Use Planning and Approvals Act 1993 (LUPAA) requires the planning authority to take all reasonable steps to ensure compliance with the planning scheme.

The planning scheme provides the overriding considerations for this application. Matters of policy and strategy are primarily a matter for preparing or amending the planning scheme.

The initial assessment of this application identified where the proposal met the relevant Acceptable Solutions under the planning scheme, and where a discretion was triggered. This report addresses only the discretions and the representations and makes a final recommendation for the proposed development.

The Planning Authority must consider the report but is not bound to it. It may:

- 1. Adopt the recommendation
- 2. Vary the recommendation
- 3. Replace an approval with a refusal (or vice versa).

The Judicial Review Act 2000 and the Local Government (Meeting Procedures) Regulations 2015 require a full statement of reasons if an alternative decision to the recommendation is made.

2. Approving applications under the planning scheme

A Development Application must meet every relevant standard in the planning scheme to be approved. In most cases, the standards can be met in one of two ways:

- 1. By Acceptable Solution, or if it cannot do this,
- 2. By Performance Criteria.


If a proposal meets an Acceptable Solution, it does not need to satisfy the Performance Criteria.

In assessing this application, the Planning Authority must exercise sound judgement to determine whether the proposal meets the relevant Performance Criterion and must consider the issues raised in the representations.

3. The Proposal

The proposal is for the demolition of the existing building and construction of a new 4-bedroom two storey dwelling to be used for visitor accommodation. The ground floor to contain a two-car garage, boat garage and storage areas with all habitable rooms located on the first floor. The area where the building is proposed to be located has been previously levelled and cleared of native vegetation.

Figure 1 - Extract of Site Plan






Figure 2 - Extract of Northern Elevation




Figure 3 - Extract of Eastern Elevation



Figure 4 - 3D Image looking south from the driveway

4. Risk and implications

Approval or refusal of this application should have no direct financial risk for Council, in relation to planning matters, other than should an appeal against the Authority's decision be lodged or should the Planning Authority fail to determine the application within the statutory timeframe.

5. Background and past applications

The following planning permits were identified applying to the lot.

- DA2018/261 Visitor accommodation comprising four tents and use of existing building for office, kitchen and guest gathering space.
- DA2014/72 outbuilding. Not acted upon.

6. Site Description

The subject site is located on the southern side of Dolphin Sands Road. The site has been previously substantially cleared of native vegetation and levelled in the area where the dwelling is proposed. All existing structures are proposed to be removed.



Figure 5 - Site and locality




Figure 6 - Site

7. Planning Instruments

Glamorgan Spring Bay Interim Planning Scheme 2015

- D34.0 Particular Purpose Zone 3 Dolphin Sands
- E6.0 Parking and Access Code
- E7.0 Stormwater Management Code
- E10.0 Biodiversity Protection Code
- E15.0 Inundation Prone Areas Code
- E16.0 Coastal Erosion Hazard Code

8. Easements and Services

The subject site has access to reticulated electricity and there are currently no easements on title burdening the lot. Reticulated water and sewerage is not provided to the site.

9. Covenants

Nil

PART TWO

10. Meeting the Standards - via Acceptable Solution

The proposal has been assessed against the Acceptable Solutions provided in:

- D34.0 Particular Purpose Zone 3 Dolphin Sands
- E6.0 Parking and Access Code
- E7.0 Stormwater Management Code
- E10.0 Biodiversity Protection Code
- E15.0 Inundation Prone Areas Code
- E16.0 Coastal Erosion Hazard Code

All standards were met by Acceptable Solution excepting the seven discretions identified below. These have been assessed against the applicable performance criteria as detailed.

11. Meeting the Standards via Performance Criteria

The standards that were not met by Acceptable Solution will need to satisfy the relevant Performance Criteria to be approved. These are:

D34.0 Particular Purpose Zone 3 - Dolphin Sands

- 34.3.1 (P1) Visitor accommodation not within existing building
- 34.4.1 (P1) Building exceeding building height of 5m

E7.0 Stormwater Management Code

• E7.7.1 (P1) Onsite disposal of stormwater

E15.0 Inundation Prone Areas Code

- E15.7.3 (P1) Floor level of habitable building
- E15.7.5 (P1) Solid walls greater than 5m in length
- E15.7.5 (P3) Onsite wastewater disposal

E16.0 Coastal Erosion Hazard Code

• E16.7.1 (P1) Building within Coastal Erosion Hazard area

The Planning Authority must consider the representations and the Performance Criteria and make a determination on the application by 05 December 2021.

PART THREE

12. Assessing the Proposal against the Performance Criteria

D34.0 Particular Purpose Zone 3 - Dolphin Sands

34.3 Use Standards

Performance Criteria	Planner's response
Clause D34.3.2 Visitor Accommodation	The acceptable solution for this standard requires visitor accommodation to be accommodated within an existing building. The visitor accommodation will be within the proposed dwelling and therefore it is reliant on the performance criteria (P1), as outlined below.
P1	
Visitor accommodation must satisfy all of the following: (a) be accommodated in one building; (b) not adversely impact residential amenity and privacy of adjoining properties; (c) provide for any parking and manoeuvring spaces required pursuant to the Parking and Access Code on-site; (d) not adversely impact the safety and efficiency of the local road network or disadvantage owners and users of private rights of way.	The visitor accommodation will be accommodated within one building. It will not adversely impact on residential amenity and privacy due to the building being located approximately 50m from the adjoining dwelling and the building orientating living areas and the main deck towards the south facing away from the adjoining dwelling located at No.1120. There is adequate space for carparking and the volume of traffic will not affect the safety and efficiency of the road network. The proposal satisfies the performance criteria.
Clause D34.4.1 Building Height	The acceptable solution for this standard requires the building height from natural ground level to be no more than 5m. The building exceeds this height, therefore the proposal is reliant on the performance criteria (P1), as outlined below.
Building height must: (a) be unobtrusive within the surrounding landscape; (b) be consistent with the surrounding pattern of development; (c) not unreasonably impact on the amenity of adjoining lots from overshadowing, overlooking or visual bulk.	The building has a height of 7.7m with an overall height above sea level of 9.5m Australian Height Datum (AHD) (1.8m AHD ground level + 7.7m building height = 9.5m AHD). This overall height is consistent with the surrounding pattern of development as indicated below. The height above sea level has been used as this gives a good indication of how the building sits within the surrounding landscape and whether it is obtrusive or not. The building is not obtrusive within the surrounding landscape when considered in the context of the nearby dwellings to the east and west which have a similar height above sea level. This is evident when the landscape is viewed from the top of the frontal dune as indicated in the photos below. The dwelling will sit at a similar height above sea level as the adjoining dwelling located at No.1120. While the building height is greater than most of these dwellings, they have all been located on a higher elevation than the subject dwelling resulting in a consistent surrounding pattern of development with heights above sea level of 9-11m AHD.

Performance Criteria	Planner's response
	The dwelling will not have an unreasonable impact on the amenity of adjoining lots as it will not overshadow or overlook adjoining lots as the building is located towards the boundary with the foreshore. The visual bulk of the building is mitigated by the ground floor being substantially open with gaps provided between solid sections. The proposal satisfies the performance criteria.
	The examples below are of dwellings located in the immediate vicinity either side of the proposal.
	No. 1094 - dwelling 6.1m, overall height approximately 9.1m AHD
	No. 1110 - dwelling 7.5m, overall height approximately 10- 11m AHD
	No. 1120 - dwelling 4.6m, overall height 9.62m AHD
	No. 1148 - dwelling 4m, overall height 8m AHD
	No. 1158 - dwelling 4.2m, overall height 11.6m AHD
	N. 1172 - dwelling 6.5m, overall height 9.5m AHD.



Figure 7 - Adjoining sites. Source List Map



Figure 8 - Looking east from site towards No. 1120 and No.1110 in the background



Figure 9 - Looking west from frontal dune



Figure 10 - Looking east from frontal dune

E7.0 Stormwater Management Code

E7.7 Development Standards

Performance Criteria	Planner's response
Clause E7.7.1	The acceptable solution (A1) is that stormwater from impervious surfaces must be disposed of by gravity to public stormwater infrastructure. Stormwater is proposed to be disposed of on-site and therefore the proposal is reliant on the performance criteria (P1), as outlined below.
Stormwater from new impervious surfaces must be managed by any of the following: (a) disposed of on-site with soakage devices having regard to the suitability of the site, the system design and water sensitive urban design principles (b) collected for re-use on the site;	Details have been provided that stormwater will be captured and disposed to absorption trenches with the assessment having regard to the site and system design. It is noted that as there is no reticulated water, stormwater is also captured in rainwater tanks for reuse prior to disposal to the absorption trenches. The proposal satisfies the performance criteria.
(c) disposed of to public stormwater infrastructure via a pump system which is designed, maintained and managed to minimise the risk of failure to the satisfaction of the Council.	

E15.0 Inundation Prone Areas Code

E15.7 Development Standards for Buildings and Works

Performance Criteria	Planner's response
Clause E15.7.3	The acceptable solution (A1) is that a new habitable building must have a floor area no lower than the Minimum Level for the Coastal Inundation Low Hazard Area in Table E15.1, which for Dolphin Sands is 2.3m AHD. The building has a floor area below 2.3m AHD and therefore the proposal is reliant on the performance criteria (P1), as outlined below.
A new habitable building must satisfy all of the following: (a) risk to users of the site, adjoining or nearby land is acceptable;	All habitable rooms are located on the first floor which is above 2.3m AHD with only the garage and two storage areas located on the ground floor. The application is supported by a report by a geotechnical engineering consultant that assessed the risk posed by inundation. The report found that subject to recommendations contained within the report concerning the location of habitable rooms and foundations the risk was assessed to be low and

(b) risk to adjoining or nearby property or public infrastructure is acceptable; acceptable. Access to the site will not be lost or substantially compromised due to future sea level rise.

(c) risk to buildings and other works arising from wave run-up is adequately mitigated through siting, structural or design methods; The proposal satisfies the performance criteria.

- (d) need for future remediation works is minimised:
- (e) access to the site will not be lost or substantially compromised by expected future sea level rise either on or off-site:
- (f) provision of any developer contribution required pursuant to policy adopted by Council for coastal protection works.

Clause E15.7.5

The acceptable solution (A1) is that for solid walls greater than 5m in length and 0.5m in height there is no acceptable solution. The building has walls greater than 5m in length and 0.5m in height and therefore the proposal is reliant on the performance criteria (P1), as outlined below.

P1

Landfill, or solid walls greater than 5 m in length and 0.5 m in height, must satisfy all of the following:

- (a) no adverse affect on flood flow over other property through displacement of overland flows;
- (b) the rate of stormwater discharge from the property must not increase;
- (c) stormwater quality must not be reduced from predevelopment levels.

The ground floor has a solid wall at either end however it is substantially open through the length of the building. These large openings will reduce any displacement of overland flows so as not to have an adverse effect on flood flow. The rate of stormwater discharge and quality from the property will not increase as stormwater is being captured for reuse and any excess discharged to absorption trenches.

The proposal satisfies the performance criteria.

Clause E15.7.5

The acceptable solution (A3) is that land application for wastewater must have a horizontal separation from the high water mark of no less than 100m and a vertical separation from the water table of no less than 1.5m. The proposal does not meet this criteria and therefore the proposal is reliant on the performance criteria (P3), as outlined below.

Р3

A land application area for onsite wastewater management must satisfy all of the following:

The wastewater report submitted has proposed an Aerated Wastewater Treatment System (AWTS) with subsurface irrigation. The report has identified that the system is a secondary treatment system and is capable of

(a) horizontal separation distance from high water mark or from the top of bank of a watercourse or lake must satisfy all of the following:

(i) be no less than 15 m,

- (ii) effluent must be no less than secondary treated effluent standard and applied through a subsurface land application system,
- (iii) the average gradient is no more than 16 degrees;
- (b) vertical separation distance from the water table must satisfy all of the following:
 - (i) be no less than 0.6 m, (whether 'in ground' or by use of a raised bed),
 - (ii) effluent must be no less than secondary treated effluent standard and applied through a subsurface land application system.

meeting the performance requirements. Detail of the system to be provided at the building approval stage.

The proposal satisfies the performance criteria.

E16.0 Coastal Erosion Hazard Code

E16.7 Development Standards

Performance Criteria	Planner's response	
Clause E16.7.1	There is acceptable solution for development within the Coastal Erosion Hazard Area and therefore the proposal is reliant on the performance criteria (P1), as outlined below.	
Buildings and works must satisfy all of the following: (a) not increase the level of risk to the life of the users of the site or of hazard for adjoining or nearby properties or public infrastructure; (b) erosion risk arising from wave run-up, including impact and material suitability, may be mitigated to an acceptable level through structural or design methods used to avoid damage to, or loss of, buildings or works;	The application is supported by an erosion hazard assessment by a geotechnical engineering consultant which considered that subject to the recommendations in the report regarding depth of footings the risk presented by coastal erosion is low and acceptable. The development does not involve removal of any dune material as the land where the building is proposed is already levelled. Thereby important natural features are adequately protected, works are not on an actively mobile landform, and access to the site will not be lost or compromised by expected future erosion. The proposal satisfies the performance criteria.	

- (c) erosion risk is mitigated to an acceptable level through measures to modify the hazard where these measures are designed and certified by an engineer with suitable experience in coastal, civil and/or hydraulic engineering;
- (d) need for future remediation works is minimised:
- (e) health and safety of people is not placed at risk;
- (f) important natural features are adequately protected;
- (g) public foreshore access is not obstructed where the managing public authority requires it to continue to exist;
- (h) access to the site will not be lost or substantially compromised by expected future erosion whether on the proposed site or off-site;
- (i) provision of a developer contribution for required mitigation works consistent with any adopted Council Policy, prior to commencement of works;
- (j) not be located on an actively mobile landform

13. Referrals

The application was not required to be referred.

14. Representations

The proposal was advertised for two weeks from 8 October to 22 October 2021 and 5 representations objecting to the proposal were received. A summary of the representations received and response is provided in the table below. The complete deidentified representations are included in the attachments.

Representation 1 points	Response
Building exceeds the 5m height limit, the claim the land was previously lowered is incorrect. The building has been positioned to take advantage of the previously bulldozed foredune to obtain beach views.	The building is considered to meet the performance criteria as the building has a height of 7.7m with an overall height of 9.5m AHD (1.8m AHD ground level + 7.7m building height = 9.5m AHD). This overall height is consistent with the surrounding pattern of development as evidenced when viewed from the frontal dune. The building is not obtrusive when considered in

Representation 2 The height of the building is excessive and the setback from the southern boundary (foreshore) is not in keeping with the surrounding houses.	the context of the surrounding development which has a similar height above sea level. The dwelling will not unreasonably impact on the amenity of adjoining lots as it will not overshadow or overlook adjoining lots. The visual bulk is not unreasonable and is mitigated by the ground floor being substantially open in parts along its length. Response Building height addressed above. The setback from the foreshore meets the acceptable solution of 20m.
Representation 3	Response
There were never any sand banks where the building is to be located. Levelling may have occurred but no excavation or reduction in height. Building is out of character with the immediate area, height and bulk disproportionate and proximity to the beach is unreasonable.	See response to representation 1 and 2 above.
Representation 4	Response
The area where the building is proposed is subject to erosion and has the potential to destabilise the surrounding dunes, pose a flood risk to neighbours and impact the sustainability of the natural groundwater supply.	The geotechnical report assessed the risk posed by coastal erosion and inundation. The report found that subject to complying with the recommendations the risk was assessed to be low and acceptable. The dwelling is to be located on existing levelled ground and the frontal dune is not being impacted.
The proposed residence is taking advantage of illegally excavated frontal dunes. The beach access has been lowered and widened. They should be closing off and rehabilitating the frontal dunes to be at least as high as the surrounding dunes.	The previously excavated frontal dune is not relevant to the current application and no works are proposed to the dune.
The location of the residence is not in keeping with the setback of the nearest neighbours. Inadequate setback from the beach impacts amenity of those on the beach and of neighbouring properties.	The setback from the foreshore meets the acceptable solution of 20m.
The coastline recession analysis is not substantial enough. The analysis is inconsistent with an analysis used for another property in the locality. The analysis fails to address what effect the already removed section of frontal dune will have on accelerated inundation.	The assessment specific to the site and was undertaken by a geotechnical engineer who assessed that the coastal erosion risk was low and acceptable.
The bulk of the residence is far more than surrounding buildings and will detrimentally impact on 1120 Dolphin Sands Rd which would overlook it.	The bulk of the dwelling is considered to be acceptable and would not present an unreasonable visual impact to the adjoining dwelling. See representation 1 response above.

The applicant has failed to give accurate The dwelling will be visible from nearby dwellings details on visibility from the beach, which is no different to the current pattern of neighbouring properties and residences development where dwellings can be seen in and has only made assumptions as to the either direction when standing on the top of the appearance from Dolphin Sands Rd. This frontal dune. Considering the height of the frontal directly impacts on amenity, both dune it is unlikely the dwelling will be visible from overlooking and natural landscape. This is the beach even taking into consideration the gap underlined in the zone purpose statement in the dune. to ensure that use or development has minimal disturbance to the natural and visual amenity of the area. None of the proposed residence should be As the building meets the setback of 20m to the visible from the beach. Zone regulation beach the P3 does not apply and cannot be considered. 34.4.2 requires setback compatible with prevailing setbacks on nearby lots. 34.4.2 requires regard to amenity of adjoining lots and the visual impact of buildings when viewed in the landscape and from the foreshore. The height of the building exceeds the See response to Representation 1 above. 5.0m maximum limit stipulated under 34.4.1. The building fails to satisfy 34.4.1 P1 as it is very obtrusive, is not consistent with the surrounding pattern development and unreasonably impacts the visual amenity of the neighbouring lots, in particular 1120 to the west, through its height and bulk. The ceiling heights of 2.7m and 3.5m are Ceiling heights in of themselves are not a out of character with the area. consideration. The capacity of the dwelling at 6 persons is A wastewater assessment has been provided concluding that an AWTS with subsurface too large for safe ongoing operation of the irrigation is suitable for the site. Details will be wastewater system. The water assessed at the building approval stage. calculations are too low and the anticipated higher water use will put a strain on the wastewater system. The number of bedrooms should be This is not something that can be considered reduced to two to reduce the impact on under the planning scheme assessment. the dunes from people walking over them. Amenity is not being preserved for As discussed in the response to representation 1, neighbouring residents. Including views of man-made structures and lights are visible when nature across dunes undisturbed by manlooking across the dunes and from other made obstacles or structures. Complete dwellings. absence of streetlights and light from other dwellings. The elevation of the Bore water is not something that can be proposed dwelling will allow light to enter considered under the planning scheme the coastal reserve. Bore water may be assessment impacted by the volume and content of waste generated by 6 person dwelling. Natural flow of dunes without visible dwellings. Representation 5 Response Building height over 5m, impossible to tell See response to Representation 1. the impact the height will have on amenity

from the southern boundary as no

measurements or impressions presented. The amenity from 1120 Dolphins Sand Rd will be ruined by the size of the building.	
More detail is required about the previous levelling. The author of the applicants report has made too many guesses and a comparison of land heights for at least the two neighbouring properties on either side would be useful in determining natural ground levels.	See response to Representation 1.
The quantities of water usage seem very low. Our household uses over double that amount and we are conscious of saving water. Overloading the wastewater system may result in immediate risk to public health form surface ponding and seepage.	A wastewater assessment has been provided concluding that an AWTS with subsurface irrigation is suitable for the site. Details will be assessed at the building approval stage.

15. Conclusion

The assessment of the application taken in association with the representations received has identified that the proposal is able to satisfy the relevant provisions of the Glamorgan Spring Bay Interim Planning Scheme 2015 and therefore the application is recommended to be approved.

16. Recommendation

That:

Pursuant to Section 57 of the Land Use Planning and Approvals Act 1993 and the Glamorgan Spring Bay Interim Planning Scheme 2015, Development Application 2021 / 282, at 1130 Dolphin Sands Road, Dolphin Sands (CT54666/175) for the construction of a dwelling to be used for visitor accommodation be approved with the following conditions:

- 1. Use and development must be substantially in accordance with the endorsed plans and documents unless modified by a condition of this permit.
 - Advice: any changes may either be deemed as substantially in accordance with the permit or may first require a formal amendment to this permit or a new permit to be issued.
- 2. Plans submitted for building approval must include a Soil and Water Management Plan (SWMP) and this must be implemented to ensure soil and sediment does not leave the site during the construction process.
 - Advice: a series of Fact Sheets on <u>Soil and Water Management on Building Sites</u> and how to develop a SWMP is available on the Environment Protection Authority website.
- 3. All external surfaces must be finished using colours with a light reflectance value not greater than 40 percent and must be natural colours such as black, grey, brown and green.
- 4. Advertising signage for the visitor accommodation is to be limited to a maximum of one sign no greater than 0.2m² in size and located within the property boundary. No additional signs are to be displayed without separate approval.

- 5. To the satisfaction of Council's General Manager, the internal driveway and areas set aside for vehicle parking and turning must be designed, constructed and maintained to a durable all-weather surface to avoid:
 - a) dust or mud generation
 - b) erosion
 - c) sediment transfer off site.
- 6. Through the construction process to the satisfaction of Council's General Manager, and unless otherwise noted on the endorsed plans or approved in writing by Council's General Manager, the developer must:
 - a) ensure soil, building waste and debris does not leave the site other than in an orderly fashion and disposed of at an approved facility;
 - b) not burn debris or waste on site:
 - c) ensure public land, footpaths and roads are not unreasonably obstructed by vehicles, machinery or materials or used for storage;
 - d) pay the costs associated with any alteration, extension, reinstatement and repair or cleaning of Council infrastructure or public land.
- 7. The developer must provide a commercial skip (or similar) for the storage of builders waste on site and arrange for the removal and disposal of the waste to an approved landfill site by private contract.
 - Advice: Builders waste, other than of a quantity and size able to be enclosed within a standard 140-litre mobile garbage bin, will not be accepted at Council's Waste Management Centres. All asbestos-based waste must be disposed of in accordance with the Code of Practice for the Safe Removal of Asbestos NOHSC: 2002(1988). No material containing asbestos may be dumped at Council's Waste Management Centres.
- 8. Stormwater drainage must be retained onsite to the satisfaction of Council's General Manager and in accordance with a Plumbing Permit issued by the Permit Authority in accordance with the Building Act 2016.

The following advice is provided for information and assistance only

- a. Please read all conditions of this permit and contact the planner for clarification if required.
- b. All costs associated with acting on this permit are borne by the person(s) acting on it.
- c. Further and separate approval or consent may be required for the following:
 - i. Building and plumbing approval from Council under the Building Act 2016
 - ii. Certificate of certifiable work for Water and sewerage from TasWater under the *Water and Sewerage Industry Act 2008*
- d. The permit does not take effect until 15 days after the date it was served on you the applicant and the representor provided no appeal is lodged, as provided by s.53 of the Land Use Planning and Approvals Act 1993.
- e. This permit is valid for two years from the date of approval and shall lapse unless it has been substantially commenced to the satisfaction of Council's General Manager, or otherwise extended by written consent.
- f. The permit and conditions on it are based on the information submitted in the endorsed plans and documents. The Planning Authority is not responsible or liable for any errors or omissions. I encourage you to engage a land surveyor to accurately set out the location of buildings and works.
- g. The native vegetation approved for removal is limited to that necessary for the construction of buildings and works, the connection of services, vehicular access and the implementation of the Bushfire Hazard Management Plan. Clearing or adversely impacting other native vegetation on the property at any stage in the future may

- require a separate planning permit and advice should be sought from the Glamorgan Spring Bay Council prior to commencing any additional works.
- h. Modification of native vegetation for bushfire hazard management or firebreaks should involve slashing rather than removal thereby minimising soil disturbance and the potential for soil erosion and weed invasion.
- i. The issue of this permit does not ensure compliance with the provisions of the Tasmanian *Threatened Species Protection Act 1995* or the Commonwealth *Environment Protection and Biodiversity Conservation Act 1999*. The applicant may be liable to complaints in relation to any non-compliance with these Acts and may be required to apply to the Policy and Conservation Assessment Branch of the Department of Primary Industry, Parks, Water and Environment or the Commonwealth Minister for a permit.
- j. To minimise the spread of weeds and plant diseases through the site and region it is recommended that
 - Construction vehicles and equipment be washed or shaken down to remove soil prior to entering or leaving either the construction site of the transport depot
 - ii. Any gravel and earth products introduced to the site should be obtained from certified weed-free and disease-free sources.
- k. The granting of this permit takes in no account of any civil covenants applicable to the land. The developer should make their own enquiries as to whether the proposed development is restricted or prohibited by any such covenant and what consequences may apply.
- I. In the event that any suspected Aboriginal cultural material is inadvertently encountered during surface or sub surface disturbance, please consult the Unanticipated Discovery Plan at http://www.aboriginalheritage.tas.gov.au/Documents/UDP.pdf

Under Regulation 25 of Local Government (Meeting Procedures) Regulations 2015 the Chairperson hereby declares that the Council is now acting as a Planning Authority under the provisions of the Land Use Planning and Approvals Act 1993 for Section 2 of the Agenda.

RECOMMENDATION

That Council no longer acts as a Planning Authority at (Time:)

The Mayor to declare the Special Meeting	closed at (Time).
CONFIRMED as a true and correct record.	
Date:	Mayor Robert Young

3.

CLOSE